



Rockies Express Pipeline LLC

Rolling 12 Month

Maintenance Plan

| Start Month | Start Date | Finish Date | Outage Duration | Segment | Station               | Unit/Line         | Explanation                         | Firm Primary at Risk |
|-------------|------------|-------------|-----------------|---------|-----------------------|-------------------|-------------------------------------|----------------------|
| Feb-2015    | 2/10/2015  | 2/22/2015   | 13 Day(s)       | 390     | Clarington Hub        | Hub               | DEO Hydro Testing                   | N                    |
| Feb-2015    | 2/10/2015  | 2/11/2015   | 2 Day(s)        | 130     | Lost Creek            | Station           | Maintenance                         | N                    |
| Mar-2015    | 3/3/2015   | 3/3/2015    | 1 Day(s)        | 290     | Turney                | Station           | ESD Test                            | Y                    |
| Mar-2015    | 3/5/2015   | 3/5/2015    | 1 Day(s)        | 240     | Julesburg             | Station           | Electrical Checks/ESD Test          | Y                    |
| Mar-2015    | 3/6/2015   | 3/6/2015    | 1 Day(s)        | 300     | Mexico                | Station           | ESD Test                            | Y                    |
| Mar-2015    | 3/10/2015  | 3/10/2015   | 1 Day(s)        | 320     | Interconnect          | NGPL Moultrie     | Interconnect Expansion Tie-In       | Y                    |
| Mar-2015    | 3/10/2015  | 3/11/2015   | 2 Day(s)        | 200     | Cheyenne              | Station           | ESD Test/Maintenance                | Y                    |
| Mar-2015    | 3/11/2015  | 3/12/2015   | 2 day(s)        | 390     | Interconnect          | Clarington Hub    | OPP Modifications/Tie In            | Y                    |
| Mar-2015    | 3/11/2015  | 3/13/2015   | 3 Day(s)        | 370     | Hamilton              | Station           | Bi-Directional Piping Modifications | Y                    |
| Mar-2015    | 3/12/2015  | 3/12/2015   | 1 Day(s)        | 200     | Cheyenne              | Sitting Bull      | Maintenance                         | Y                    |
| Mar-2015    | 3/12/2015  | 3/12/2015   | 1 Day(s)        | 320     | Blue Mound            | Station           | ESD Test/Maintenance                | Y                    |
| Mar-2015    | 3/12/2015  | 3/13/2015   | 2 Day(s)        | 320     | Interconnect          | Midwestern Edgar  | Interconnect Expansion Tie In       | Y                    |
| Mar-2015    | 3/16/2015  | 3/18/2015   | 3 Day(s)        | 390     | Chandlerville         | Station           | Bi-Directional Piping Modifications | Y                    |
| Mar-2015    | 3/17/2015  | 3/17/2015   | 1 Day(s)        | 290     | Turney                | 5200              | Maintenance                         | Y                    |
| Mar-2015    | 3/17/2015  | 3/17/2015   | 1 Day(s)        | 390     | Seneca                | Unit 3            | Maintenance                         | Y                    |
| Mar-2015    | 3/17/2015  | 3/19/2015   | 3 Day(s)        | 330     | Interconnect          | PEPL Putnam       | Interconnect Expansion Tie In       | Y                    |
| Mar-2015    | 3/18/2015  | 3/18/2015   | 1 Day(s)        | 300     | Mexico                | 5200              | Maintenance                         | Y                    |
| Mar-2015    | 3/19/2015  | 3/20/2015   | 2 Day(s)        | 370     | Hamilton              | Station           | ESD Test/Maintenance                | Y                    |
| Mar-2015    | 3/19/2015  | 3/19/2015   | 1 Day(s)        | 390     | Seneca                | Unit 4            | Maintenance                         | Y                    |
| Mar-2015    | 3/20/2015  | 3/22/2015   | 3 Day(s)        | 340     | Bainbridge            | Station           | Bi-Directional Piping Modifications | Y                    |
| Mar-2015    | 3/24/2015  | 3/24/2015   | 1 Day(s)        | 320     | Interconnect          | Trunkline Douglas | Interconnect Expansion Tie In       | Y                    |
| Mar-2015    | 3/24/2015  | 3/26/2015   | 3 Day(s)        | 100     | Meeker                | Turbines          | ESD Test/Maintenance                | Y                    |
| Mar-2015    | 3/25/2015  | 3/25/2015   | 1 Day(s)        | 150     | Arlington             | EMD               | Maintenance                         | Y                    |
| Apr-2015    | 4/1/2015   | 4/4/2015    | 4 Day(s)        | 320     | Blue Mound            | Station           | Back Pressure Regulator Install     | Y                    |
| Apr-2015    | 4/7/2015   | 4/8/2015    | 2 Day(s)        | 260     | Steele City           | Station           | Maintenance                         | Y                    |
| Apr-2015    | 4/8/2015   | 4/8/2015    | 1 Day(s)        | 390     | Seneca                | Unit 5            | Maintenance                         | Y                    |
| Apr-2015    | 4/13/2015  | 4/17/2015   | 5 Day(s)        | 150     | Arlington             | Unit 5200         | Top End Overhaul                    | Y                    |
| Apr-2015    | 4/14/2015  | 4/14/2015   | 1 Day(s)        | 390     | Seneca                | Unit 1            | Maintenance                         | Y                    |
| Apr-2015    | 4/15/2015  | 4/15/2015   | 1 Day(s)        | 390     | Seneca                | Unit 2            | Maintenance                         | Y                    |
| Apr-2015    | 4/15/2015  | 4/15/2015   | 1 Day(s)        | 250     | Bertrand              | Station           | ESD Test                            | Y                    |
| Apr-2015    | 4/21/2015  | 4/22/2015   | 2 Day(s)        | 120     | Big Hole              | Station           | Maintenance/Turbine Wash            | Y                    |
| May-2015    | 5/5/2015   | 5/5/2015    | 1 Day(s)        | 150     | Arlington             | Station           | ESD Test/Maintenance                | Y                    |
| May-2015    | 5/5/2015   | 5/5/2015    | 1 Day(s)        | 390     | Seneca                | Unit 3            | Maintenance                         | Y                    |
| May-2015    | 5/5/2015   | 5/6/2015    | 2 Day(s)        | 100     | Meeker                | Turbines          | Maintenance/Turbine Wash            | Y                    |
| May-2015    | 5/6/2015   | 5/7/2015    | 2 Day(s)        | 130     | Lost Creek            | Station           | Maintenance                         | N                    |
| May-2015    | 5/11/2015  | 5/15/2015   | 5 Day(s)        | 140     | Echo Springs          | Unit 5100         | Engine Overhaul                     | Y                    |
| May-2015    | 5/12/2015  | 5/12/2015   | 1 Day(s)        | 390     | Seneca                | Unit 3            | Maintenance                         | Y                    |
| May-2015    | 5/13/2015  | 5/13/2015   | 1 Day(s)        | 260     | Steele City           | Station           | ESD Test/Maintenance                | Y                    |
| May-2015    | 5/13/2015  | 5/13/2015   | 1 Day(s)        | 390     | REX Seneca/Mark West  | Pipeline          | Seneca Lateral Smart Pig            | Y                    |
| May-2015    | 5/18/2015  | 5/22/2015   | 5 Day(s)        | 140     | Echo Springs          | Unit 5200         | Engine Overhaul                     | Y                    |
| May-2015    | 5/26/2015  | 5/26/2015   | 1 Day(s)        | 130     | Wamsutter/Lost Creek  | Station           | ESD Test                            | Y                    |
| May-2015    | 5/26/2015  | 5/26/2015   | 1 Day(s)        | 110/120 | Big Hole to Wamsutter | Pipeline          | 36" Smart Pig Run                   | Y                    |
| Jun-2015    | 6/2/2015   | 6/2/2015    | 1 Day(s)        | 140     | Echo Springs          | Station           | ESD Test/Maintenance                | N                    |
| Jun-2015    | 6/16/2015  | 6/16/2015   | 1 Day(s)        | 390     | Seneca                | Unit 4            | Maintenance                         | Y                    |
| Jun-2015    | 6/16/2015  | 6/19/2015   | 4 Day(s)        | 130     | Wamsutter             | Station           | Maintenance                         | Y                    |
| Jun-2015    | 6/22/2015  | 6/26/2015   | 5 Day(s)        | 140     | Echo Springs          | Station           | Compressor Maintenance              | Y                    |
| Jul-2015    | 7/7/2015   | 7/7/2015    | 1 Day(s)        | 390     | Seneca                | Unit 5            | Maintenance                         | Y                    |
| Jul-2015    | 7/14/2015  | 7/14/2015   | 1 Day(s)        | 390     | Seneca                | Unit 1            | Maintenance                         | Y                    |
| Jul-2015    | 7/14/2015  | 7/17/2015   | 4 Day(s)        | 150     | Arlington             | Station           | Maintenance                         | Y                    |
| Jul-2015    | 7/15/2015  | 7/15/2015   | 1 Day(s)        | 390     | Seneca                | Unit 2            | Maintenance                         | Y                    |
| Aug-2015    | 8/11/2015  | 8/11/2015   | 1 Day(s)        | 390     | Seneca                | Unit 3            | Maintenance                         | Y                    |
| Aug-2015    | 8/11/2015  | 8/12/2015   | 2 Day(s)        | 130     | Lost Creek            | Station           | Maintenance                         | N                    |
| Aug-2015    | 8/25/2015  | 8/26/2015   | 2 Day(s)        | 140     | Echo Springs          | Station           | Maintenance                         | Y                    |
| Sep-2015    | 9/8/2015   | 9/11/2015   | 4 Day(s)        | 130     | Wamsutter             | Station           | Maintenance                         | Y                    |
| Sep-2015    | 9/15/2015  | 9/15/2015   | 1 Day(s)        | 390     | Seneca                | Station           | ESD Test                            | Y                    |
| Sep-2015    | 9/16/2015  | 9/16/2015   | 1 Day(s)        | 260     | Steele City           | Station           | Calibrations                        | Y                    |
| Sep-2015    | 9/21/2015  | 9/25/2015   | 5 Day(s)        | 130     | Lost Creek            | Station           | Maintenance                         | N                    |
| Sep-2015    | 9/22/2015  | 9/22/2015   | 1 Day(s)        | 390     | Seneca                | Unit 4            | Maintenance                         | Y                    |
| Oct-2015    | 10/6/2015  | 10/6/2015   | 1 Day(s)        | 390     | Seneca                | Unit 5            | Maintenance                         | Y                    |
| Oct-2015    | 10/6/2015  | 10/6/2015   | 1 Day(s)        | 260     | Steele City           | 5100              | Maintenance                         | Y                    |
| Oct-2015    | 10/6/2015  | 10/7/2015   | 2 Day(s)        | 340     | Bainbridge            | Station           | Maintenance                         | Y                    |
| Oct-2015    | 10/6/2015  | 10/9/2015   | 4 Day(s)        | 120     | Big Hole              | Station           | Maintenance/ESD Test                | Y                    |
| Oct-2015    | 10/7/2015  | 10/7/2015   | 1 Day(s)        | 260     | Steele City           | 5200              | Maintenance                         | Y                    |
| Oct-2015    | 10/7/2015  | 10/16/2015  | 10 Day(s)       | 340     | Bainbridge            | Station           | 30" Valve Replacement               | Y                    |
| Oct-2015    | 10/8/2015  | 10/9/2015   | 2 Day(s)        | 290     | Turney                | Station           | Maintenance                         | Y                    |
| Oct-2015    | 10/13/2015 | 10/13/2015  | 1 Day(s)        | 390     | Chandlerville         | Station           | ESD Test/Calibrations               | Y                    |
| Oct-2015    | 10/13/2015 | 10/13/2015  | 1 Day(s)        | 390     | Seneca                | Unit 1            | Maintenance                         | Y                    |
| Oct-2015    | 10/14/2015 | 10/14/2015  | 1 Day(s)        | 390     | Seneca                | Unit 2            | Maintenance                         | Y                    |
| Oct-2015    | 10/14/2015 | 10/15/2015  | 2 Day(s)        | 300     | Mexico                | Station           | Maintenance                         | Y                    |
| Oct-2015    | 10/19/2015 | 10/23/2015  | 5 Day(s)        | 150     | Arlington             | Unit 5300         | Top End Overhaul                    | Y                    |
| Oct-2015    | 10/20/2015 | 10/20/2015  | 1 Day(s)        | 370     | Hamilton              | Station           | VFD Checks                          | Y                    |
| Oct-2015    | 10/27/2015 | 10/27/2015  | 1 Day(s)        | 150     | Arlington             | EMD               | Maintenance                         | Y                    |
| Nov-2015    | 11/3/2015  | 11/4/2015   | 2 Day(s)        | 130     | Lost Creek            | Station           | Maintenance                         | N                    |
| Nov-2015    | 11/9/2015  | 11/13/2015  | 5 Day(s)        | 150     | Arlington             | Station           | Maintenance                         | Y                    |
| Nov-2015    | 11/10/2015 | 11/10/2015  | 1 Day(s)        | 390     | Seneca                | Unit 3            | Maintenance                         | Y                    |
| Nov-2015    | 11/16/2015 | 11/20/2015  | 5 Day(s)        | 150     | Arlington             | Station           | Maintenance                         | Y                    |
| Nov-2015    | 11/24/2015 | 11/25/2015  | 2 Day(s)        | 140     | Echo Springs          | Station           | Maintenance                         | Y                    |
| Dec-2015    | 12/8/2015  | 12/11/2015  | 4 Day(s)        | 130     | Wamsutter             | Station           | Maintenance                         | Y                    |
| Dec-2015    | 12/15/2015 | 12/15/2015  | 1 Day(s)        | 390     | Seneca                | Unit 4            | Maintenance                         | Y                    |